



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/5196220
Dated/दिनांक : 25-07-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	13-08-2024 19:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	13-08-2024 19:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Science And Technology
Department Name/विभाग का नाम	Department Of Scientific And Industrial Research (dsir)
Organisation Name/संगठन का नाम	Council Of Scientific And Industrial Research (csir)
Office Name/कार्यालय का नाम	Central Building Research Institute
Total Quantity/कुल मात्रा	95
Item Category/मद केटेगरी	Single / Double Bed - Wooden - With / Without Box (Q3) , Sofas (V2) (Q3) , Executive Computer Table (Q3) , Office Chair (V3) (Q2) , Centre Table (Q3) , Revolving Chair (V4) (Q2) , Executive Table (V2) (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	11 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	89 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes

Bid Details/बिड विवरण

Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance/विगत प्रदर्शन	80 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Single / Double Bed - Wooden - With / Without Box
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	3 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value/अनुमानित बिड मूल्य	2232364
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	14

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

Director
Central Building Research Institute, Department of Scientific and Industrial Research (DSIR), Council of Scientific and Industrial Research (CSIR), Ministry of Science and Technology
(Director)

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM_No.1_4_2021_PPD_dated_18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy

for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Single / Double Bed - Wooden - With / Without Box (4 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MATERIAL	Material of Mattresses Panel	plywood conforming to is 303, MDF board conforming to IS:12406(Grade SBG I), Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Teak wood, Carved teak wood, Other wood, Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Material of Bottom Panel of Storage Box	plywood conforming to is 303, MDF Board Conforming To IS:12406(Grade SBG I), Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Teak wood, Carved teak wood, Other wood, Flat single layer MDF board of grade SBG II of IS 12406/Latest, Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest, NA
	Material of Front, Back and side Panels	plywood conforming to is 303, MDF Board Conforming To IS:12406(Grade SBG I), Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Teak wood, Carved teak wood, Other wood, Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest
	Material of Headrest	wood, plywood conforming to is 303, mdf board conforming to is 12406 grade sbg i, NO HEAD REST, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Teak wood, Carved teak wood, Other wood, Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest
	Material of Legrest	wood, plywood conforming to is 303, mdf board conforming to is 12406 grade sbg i, NO LEG REST, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Teak wood, Carved teak wood, Other wood, Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest
GENERIC	Type of Bed	Wooden Double Bed
	Material of Bed Frame	Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest
	Hydraulic System provided for Opening	No
DIMENSIONS	Mattress Fixing Width ± 10 (mm)	915, 1525, 1830, 1980, 2134, 1200
	Thickness of material of Headrest ± 2 (mm)	18, 25, 36, 38, 50, 62, N.A
	Overall Height of Legrest ± 5 (mm)	450, 500, 550, N.A, 350 mm, 360 mm, 370 mm, 390 mm, 410 mm, 430 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Overall Length of Legrest ±10 (mm)	915, 1525, 1833, 1980, 2134, NA, 1200, 1866
COLOUR & FINISHING	Finish	Polished, Painted, Laminated, Teak laminate/ply with polish, Teak laminate/ply with melamine finish
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	1, 2, 3, 4, 5

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vishvash Tyagi	247667,Central Store CBRI Roorkee 247 667 Uttrakhand, INDIA	4	45

Single / Double Bed - Wooden - With / Without Box (15 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MATERIAL	Material of Mattresses Panel	plywood conforming to is 303, MDF board conforming to IS:12406(Grade SBG I), Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Teak wood, Carved teak wood, Other wood, Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Material of Bottom Panel of Storage Box	plywood conforming to is 303, MDF Board Conforming To IS:12406(Grade SBG I), Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Teak wood, Carved teak wood, Other wood, Flat single layer MDF board of grade SBG II of IS 12406/Latest, Three layer prelaminate particles board (Wood product) of grade II type II of IS 12823/Latest, NA
	Material of Front, Back and side Panels	plywood conforming to is 303, MDF Board Conforming To IS:12406(Grade SBG I), Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Teak wood, Carved teak wood, Other wood, Three layer prelaminate particles board (Wood product) of grade II type II of IS 12823/Latest
	Material of Headrest	wood, plywood conforming to is 303, mdf board conforming to is 12406 grade sbg i, NO HEAD REST, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Teak wood, Carved teak wood, Other wood, Three layer prelaminate particles board (Wood product) of grade II type II of IS 12823/Latest
	Material of Legrest	wood, plywood conforming to is 303, mdf board conforming to is 12406 grade sbg i, NO LEG REST, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Teak wood, Carved teak wood, Other wood, Three layer prelaminate particles board (Wood product) of grade II type II of IS 12823/Latest
GENERIC	Type of Bed	Wooden Single Bed
	Material of Bed Frame	teak wood, Carved teak wood, Other Wood, Flat single layer MDF board of grade SBG II of IS 12406/Latest, Three layer prelaminate particles board (Wood product) of grade II type II of IS 12823/Latest
	Hydraulic System provided for Opening	Yes, No
DIMENSIONS	Mattress Fixing Width ±10 (mm)	915, 1525, 1830, 1980, 2134, 1200
	Thickness of material of Headrest ±2 (mm)	18, 25, 36, 38, 50, 62, N.A

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Overall Height of Legrest ±5 (mm)	450, 500, 550, N.A, 350 mm, 360 mm, 370 mm, 390 mm, 410 mm, 430 mm
	Overall Length of Legrest ±10 (mm)	915, 1525, 1833, 1980, 2134, NA, 1200, 1866
COLOUR & FINISHING	Finish	Polished, Painted, Laminated, Teak laminate/ply with polish, Teak laminate/ply with melamine finish
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	1, 2, 3, 4, 5

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vishvash Tyagi	247667,Central Store CBRI Roorkee 247 667 Uttrakhand, INDIA	15	45

Sofas (V2) (5 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Total Number of Seats in the Sofa Set	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20
	Number of Single Seater Units (Nos)	2
	Number of Two Seater Units (Nos)	1, 2, 3, 4, No Two Seater Unit
	Number of Three Seater Units (Nos)	1

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Number of Four Seater Units (Nos)	1, 2, No Four Seater Unit
	Frame Covering	Fully Upholstered, Partially Upholstered, Fully Exposed
	Sofa Set is Foldable to use as bed	Yes, No
	Backrest Cushion Material	Foam, Rubber
	Density of Cushion of Backrest Material (Kg/Cubic M)	16, 20, 24, 26, 28, 32, 35, 40, 45, 50, 55, 60, 65, 70, 75
	Covering Material for Seat and Backrest	Fabric, Rexin, Leather Fabric, Leatherite, Genuine Leather, Polyester
MATERIAL	Frame Structure Material and size (± 1 mm)	18 mm thick Teak Plywood, 19 mm thick Commercial board, Teak wood of minimum 25 mm thickness, Carved Teak wood of minimum 25 mm thickness, Mild Steel Structure, 19mm thick Commercial Block Board BWP grade Conforming to IS 1659, 19mm thick Decorative Block Board BWP grade Conforming to IS 1659, 19mm thick Commercial Block Board MR Grade Conforming to IS 1659, 19mm thick Decorative Block Board MR Grade Conforming to IS 1659, Any other wood of minimum 25 mm thickness
	Seat Cushion Material	Foam, Rubber
	Density of Cushion of Seat Material ± 3 (Kg/Cubic M)	16, 20, 24, 26, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75
	Type of Spring in the Base / Seating	Eight way hand tied spring, Sinuous spring, Web suspension, Checking couch spring, Zig Zag spring, No Spring in the Base
DIMENSION	Length of Single Seater Units in mm (± 5 mm)	400, 508, 570, 660, 670, 690, 700, 750, 790, 800, 850, 870, 920, 935, 970, 1000, 1010, 1020, 1040, 1050, 1110, 1165, 1205, N.A
	Length of Two Seater Units in mm (± 10 mm)	800, 1000, 1100, 1140, 1220, 1320, 1340, 1370, 1400, 1420, 1440, 1455, 1500, 1560, 1600, 1680, 1750, N.A
	Length of Three Seater Units in mm (± 10 mm)	1200, 1300, 1400, 1525, 1650, 1710, 1750, 1790, 1820, 1850, 1870, 1900, 1940, 1950, 1980, 2000, 2050, 2110, 2150, 2230, 2250, N.A
	Length of Four Seater Units in mm (± 10 mm)	1600, 1700, 1800, 1900, 2000, 2100, 2200, 2340, 2500, 2640, 2800, N.A
	Depth of Sofa Units in mm (± 10 mm)	400, 457, 530, 550, 585, 600, 700, 760, 775, 800, 850, 900, 950
	Sofa Height (Without Back Cushion) ± 5 (mm)	255, 400, 430, 450, 470, 500, 550, 580, 600, 650, 700, 800 (millimeter)
	Sofa Height (With Back Cushion) ± 5 mm	600, 650, 700, 750, 765, 775, 790, 800, 830, 835, 845, 850, 865, 890, 905, 925, 950, 960, 970, 1000, 1030 (millimeter)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Seat Cushion Length ±5 (mm)	350, 415, 440, 450, 465, 485, 515, 525, 545, 640, 710, 740, 870, 910, 965, 980, 1000, 1010, 1040, 1050, 1080, 1200, 1265, 1340, 1370, 1410, 1440, 1450, 1455, 1470, 1520, 1540, 1580, 1630, 1700, 1760, 2010, N.A
	Seat Cushion Width ±5 (mm)	380, 470, 495, 510, 520, 530, 560, 570, 585, 710, 740, 940, 1050
	Seat Cushion Thickness ±3 (mm)	65, 75, 80, 90, 100, 125, 150, 175, 200, 210, 225
	Backrest Cushion Length ±5 (mm)	530, 710, 740, 800, 855, 895, 920, 940, 1010, 1050, 1070, 1150, 1205, 1230, 1320, 1370, 1420, 1435, 1450, 1500, 1555, 1630, 1650, 1680, 1715, 1755, 1825, 1890, 1940, 1950, 1990, 2010, 2040, N.A
	Backrest Cushion Width ±5 (mm)	335, 400, 415, 425, 460, 480, 500, 508, 530, 585, 710, 740, 1050
WARRANTY	Warranty	1 - Year, 2 - Years, 3 - Years, 4 - Years, 5 - Years

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vishvash Tyagi	247667,Central Store CBRI Roorkee 247 667 Uttrakhand, INDIA	5	45

Executive Computer Table (12 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Type of Computer Table	Computer table with key board drawer and table top, Only Printer Table, Computer cum Printer table with key board pullout tray and table top

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Construction of Computer/Printer Table	Gable end and modesty panel, Four legs
FINISHING AND PACKING	Colour of Top	peach, teak, oak, grey, buscuit, brown, As per Buyer's Choice
MATERIAL	Material of table top,keyboard and drawer	MDF board of grade SBG II of IS 12406/Latest, Three layer prelaminate particle board(Wood Product) of grade II type II of IS 12823/Latest, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Teak wood, Carved teak wood, Other wood
	Gable end and Modesty panel material	Flat single layer prelaminate MDF board conforming to having designation PLMDF-23 of IS 14587/Latest, Three Layer prelaminate particles board(wood product) of grade II type III of IS 12823/Latest, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Teak wood, Carved teak wood, Other wood
	Leg Material	Teak wood, Carved teak wood, Other wood, NO LEGS, Three Layer prelaminate particles board(wood product) of grade II type III of IS 12823/Latest
DIMENSION	Table top thickness ±2mm	5, 9, 12, 15, 19, 25, 38 (millimeter)
	Thickness of gable end and modesty panel ±2mm	9, 12, 15, 19, 25, 38, N.A
	Dimension of leg(mmXmm) ±5mm	40mmX40mm, 50mmX50mm, 60mmX60mm, No legs, 18mmX18mm
	Length of table in mm (±15 mm)	610, 760, 915, 1065, 1220, 1370, 1525, 1675, 1830, 1980, 2135, 2285, 2435, 800, 1200 (millimeter)
	Depth of table in mm (±10mm)	460, 610, 760, 915, 1065, 1220, 1370, 1525, 1675, 1830 (millimeter)
	Height of table in mm (±10mm)	610, 685, 760, 840, 915, 990 (millimeter)
KEYBOARD TRAY	Type of keyboard tray	Metal keyboard tray, Plastic PVC keyboard tray, Stainless steel keyboard tray, Wooden keyboard tray, Teak wood keyboard tray, MDF board keyboard tray, Pre-laminated particle board keyboard tray, Commercial board keyboard tray

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
FOOTREST	Material of footrest	Flat single layer prelaminate MDF board conforming to having designation PLMDF-22 of IS 14587/Latest, Three layer prelaminate particles board(wood product)conforming to grade II type III of IS 12823/Latest, Teak wood, Other wood, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, No footrest
	Material thickness of footrest ±2mm	5mm, 9mm, 12mm, 15mm, 19mm, 25mm, 38mm, No footrest
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher
CERTIFICATION	Product having BIFMA certification	YES
	OEM of offered product is ISO 9001:2015 certified	YES, NO
	OEM of offered product is ISO 14001:2015 certified	YES, NO
	OEM of offered product is ISO 18001:2007/45001:2018certified	YES, NO

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Vishvash Tyagi	247667,Central Store CBRI Roorkee 247 667 Utrakhand, INDIA	12	45

Office Chair (V3) (12 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Chair type	Non-revolving and non-tilting chair with armrest, Non-revolving and non-tilting chair without armrest
UNDERSTRUCTURE	Chair understructure type	Cantilever, Legs
	Understructure material	ERW tube conforming to IS : 1161 latest, Aluminium pipe (hollow Section) conforming to IS: 1285 latest, Stainless steel (SS 202), Stainless steel (SS 304), Stainless steel (SS 316), Mild steel, Solid wood
	The shape of tubular section of understructure	Round, Square, Rectangular, Elliptical, NA
	Section Size (Diameter/Sides) of understructure	19 mm, 22 mm, 25 mm, 30 mm, 19x19 mm, 25x25 mm, 30x30 mm, 25x15 mm, 30x12 mm, 30x15 mm, 30x20 mm, 45x19 mm, 35x15 mm, 38x20 mm, NA
	Understructure wall thickness (mm)	1, 1.2, 1.6, 2, 2.5, 3, NA for wood
	Castor	Yes, No
SEAT	Seat material	Moulded PU, PU foam, Mesh, Caned, Hot pressed plywood
	Density of PU used in seat (kg per cubic meter)	<=30, >30<=40, >40<=50, >50, NA
	Thickness of PU used in seat (mm)	<=30, >30<=40, >40<=50, >50, NA
	Minimum seat height from floor surface (mm)	<=400, >400<=500, >500
	Width of seat (mm)	<=400, >400<=450, >450
	Depth of seat (mm)	<=400, >400<=450, >450
	Seat upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leatherette with spacer fabric, Leather, Caned, Moulded PU
BACKREST	Backrest base frame material	Mild steel frame, Hot pressed plywood, Solid wood, Injection moulded plastic
	Backrest material	Moulded PU, PU foam, Mesh, Caned, Hot pressed plywood
	Density of PU used in backrest (kg per cubic meter)	<=30, >30<=40, >40<=50, >50, NA
	Thickness of PU used in backrest (mm)	<=30, >30<=40, >40<=50, >50, NA
	Width of backrest (mm)	<=400, >400<=450, >450
	Backrest height from the seat level	>=350<=450, >450<=550, >550

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Backrest upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leatherette with spacer fabric, Leather, Caned, Moulded PU
ARMREST	Armrest type	Overhanging armrest, Continuous armrest, Moulded armrest continuously fitted with seat and back, Moulded T armrest fitted with seat bottom, Moulded Armrest mounted to Frame, Without Armrest
	Armrest movement	Adjustable, Fixed, Without armrests
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Vishvash Tyagi	247667,Central Store CBRI Roorkee 247 667 Uttrakhand, INDIA	12	15

Centre Table (5 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Number of storage under top	Single storage in upper portion, Single storage in bottom portion, Double storage (one at upper portion and one at bottom portion), Horizontal base as storage, Double storage (one fixed and one slideable), No storage, Nil

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MATERIAL	Top material	Flat glass, Tempered glass, Medium Density Fiberboard, Marble, Lucite, Arcylic, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Ply wood, Flat single layer MDF board of grade SBG II of IS 12406/Latest, Other wood, Granite, Toughened glass, Flat, Calibrated BWR Plywood to conforming IS 303
	Frame material	Teak wood, Carved Teak wood, Stainless steel SS 304, Other wood, No frames, Granite, Marble, MILD STEEL, Wood with Polish, Calibrated BWR Plywood to conforming IS 303
DIMENSION & THICKNESS	Dimension of Top (Length X Breadth, or Diameter) ±20mm	762mmX457mm, 914mmX533mm, 914mmX609mm, 914mmX914mm, 965mmX457mm, 1000mmX650mm, 1067mmX1067mm, 1194mmX584mm, 1219mmX711mm, 800mmX550mm, 457mm(Dia), 533mm(Dia), 609mm(Dia), 762mm(Dia), 914mm(Dia), 550mmX450mm, 6096mmX1524mm, 1200mmX600mm, 800mm x 450mm, 900mm x 450mm, 850mmx 590mm
	Height of centre table ±10 mm	380, 410, 430, 460, 485, 510, 535, 560, 585, 610, 635, 660, 685, 710, 740, 765, 762, 450 (millimeter)
	Thickness of top material (+/-2 mm)	8, 10, 12, 15, 18, 25, 36, 20 (millimeter)
	Thickness of frame material (+/- 1 mm)	8, 10, 12, 15, 18, 19, 25, 36, 0 (millimeter)
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Vishvash Tyagi	247667,Central Store CBRI Roorkee 247 667 Uttrakhand, INDIA	5	45

Revolving Chair (V4) (36 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of chair	High Back
UNDERSTRUCTURE	Tilt mechanism	Only revolving without tilting mechanism, Revolving with back tilting, Center tilt mechanism, Knee tilt mechanism, Knee tilt Synchronic mechanism, Synchronic tilt mechanism, Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	Locking mechanism	No locking (Fixed type), Back tilt and locking, Upright locking, Tilt limiter, 3 Position locking, 4 Position locking, 5 Position locking, Multi position locking Or higher
	Seat depth adjustment	Adjustable, Fixed type Or higher
	Revolving mechanism	Designed with 360 degree-revolving type, Designed with revolving type with auto return
	Pedestal base	Glass filled nylon, Mild steel powder coated, Mild steel chrome plated, Mild steel with wooden cladded, Stainless steel, Aluminium die cast, Teller base with foot ring MS powder coated, Teller base with foot ring MS chrome plated
	Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair	1 - 6 (millimeter)
SEAT	Seat material	Moulded PU, PU foam, Mesh
	Density of PU used in seat (kg per cubic meter)	<=30, >30<=40, >40<=50, >50, NA
	Thickness of PU used in seat (mm)	<=30, >30<=40, >40<=50, >50, NA
	Minimum seat height from floor surface (mm)	<=400, >400<=500, >500
	Width of seat (mm)	<=400, >400<=450, >450<=500, >500
	Depth of seat (mm)	<=400, >400<=450, >450<=500, >500
	Seat upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leatherette with spacer fabric, Leather
BACKREST	Backrest type	Flexi back, Tilting type, Fixed type Or higher
	Backrest height	Fixed, Adjustable Or higher
	Backrest support type	Adjustable lumber support, Fixed lumber support, Contoured back / Without lumber support

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Backrest base frame material	Mild steel frame, Hot pressed plywood, Wood, Injection moulded plastic, Aluminium die cast
	Density of PU used in backrest (kg per cubic meter)	<=30, >30<=40, >40<=50, >50, NA
	Thickness of PU used in backrest (mm)	<=30, >30<=40, >40<=50, >50, NA
	Width of backrest (mm)	<=400, >400<=450, >450<=500, >500
	Backrest height from the seat level	>=350<=450, >450<=550, >550
	Backrest upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leather
ARMREST	Armrest type and arm movement	Adjustable (up and down), Adjustable (left and right), Adjustable (Up and Down, Front and Back), Adjustable (left, right, up, down, front, back), Swivel (left, right, up, down), Adjustable (left, right, up, down, front, back, swivel), Fixed, Without armrests
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vishvash Tyagi	247667,Central Store CBRI Roorkee 247 667 Uttrakhand, INDIA	36	45

Office Chair (V3) (4 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Chair type	Non-revolving and non-tilting chair with armrest, Non-revolving and non-tilting chair without armrest
UNDERSTRUCTURE	Chair understructure type	Cantilever, Legs
	Understructure material	ERW tube conforming to IS : 1161 latest, Aluminium pipe (hollow Section) conforming to IS: 1285 latest, Stainless steel (SS 202), Stainless steel (SS 304), Stainless steel (SS 316), Mild steel, Solid wood
	The shape of tubular section of understructure	Round, Square, Rectangular, Elliptical, NA
	Section Size (Diameter/Sides) of understructure	19 mm, 22 mm, 25 mm, 30 mm, 19x19 mm, 25x25 mm, 30x30 mm, 25x15 mm, 30x12 mm, 30x15 mm, 30x20 mm, 45x19 mm, 35x15 mm, 38x20 mm, NA
	Understructure wall thickness (mm)	1, 1.2, 1.6, 2, 2.5, 3, NA for wood
	Castor	Yes, No
SEAT	Seat material	Moulded PU, PU foam, Mesh, Caned, Hot pressed plywood
	Density of PU used in seat (kg per cubic meter)	<=30, >30<=40, >40<=50, >50, NA
	Thickness of PU used in seat (mm)	<=30, >30<=40, >40<=50, >50, NA
	Minimum seat height from floor surface (mm)	<=400, >400<=500, >500
	Width of seat (mm)	<=400, >400<=450, >450
	Depth of seat (mm)	<=400, >400<=450, >450
	Seat upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leatherette with spacer fabric, Leather, Caned, Moulded PU
BACKREST	Backrest base frame material	Mild steel frame, Hot pressed plywood, Solid wood, Injection moulded plastic
	Backrest material	Moulded PU, PU foam, Mesh, Caned, Hot pressed plywood
	Density of PU used in backrest (kg per cubic meter)	<=30, >30<=40, >40<=50, >50, NA
	Thickness of PU used in backrest (mm)	<=30, >30<=40, >40<=50, >50, NA
	Width of backrest (mm)	<=400, >400<=450, >450
	Backrest height from the seat level	>=350<=450, >450<=550, >550
	Backrest upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leatherette with spacer fabric, Leather, Caned, Moulded PU

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
ARMREST	Armrest type	Overhanging armrest, Continuous armrest, Moulded armrest continuously fitted with seat and back, Moulded T armrest fitted with seat bottom, Moulded Armrest mounted to Frame, Without Armrest
	Armrest movement	Adjustable, Fixed, Without armrests
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vishvash Tyagi	247667,Central Store CBRI Roorkee 247 667 Uttrakhand, INDIA	4	15

Revolving Chair (V4) (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of chair	Mid Back
UNDERSTRUCTURE	Tilt mechanism	Only revolving without tilting mechanism, Revolving with back tilting, Center tilt mechanism, Knee tilt mechanism, Knee tilt Synchronic mechanism, Synchronic tilt mechanism, Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	Locking mechanism	No locking (Fixed type), Back tilt and locking, Upright locking, Tilt limiter, 3 Position locking, 4 Position locking, 5 Position locking, Multi position locking Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Seat depth adjustment	Adjustable, Fixed type Or higher
	Revolving mechanism	Designed with 360 degree-revolving type, Designed with revolving type with auto return
	Pedestal base	Glass filled nylon, Mild steel powder coated, Mild steel chrome plated, Mild steel with wooden cladded, Stainless steel, Aluminium die cast, Teller base with foot ring MS powder coated, Teller base with foot ring MS chrome plated
	Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair	1 - 6 (millimeter)
SEAT	Seat material	Moulded PU, PU foam, Mesh
	Density of PU used in seat (kg per cubic meter)	<=30, >30<=40, >40<=50, >50, NA
	Thickness of PU used in seat (mm)	<=30, >30<=40, >40<=50, >50, NA
	Minimum seat height from floor surface (mm)	<=400, >400<=500, >500
	Width of seat (mm)	<=400, >400<=450, >450<=500, >500
	Depth of seat (mm)	<=400, >400<=450, >450<=500, >500
	Seat upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leatherette with spacer fabric, Leather
BACKREST	Backrest type	Flexi back, Tilting type, Fixed type Or higher
	Backrest height	Fixed, Adjustable Or higher
	Backrest support type	Adjustable lumber support, Fixed lumber support, Contoured back / Without lumber support
	Backrest base frame material	Mild steel frame, Hot pressed plywood, Wood, Injection moulded plastic, Aluminium die cast
	Density of PU used in backrest (kg per cubic meter)	<=30, >30<=40, >40<=50, >50, NA
	Thickness of PU used in backrest (mm)	<=30, >30<=40, >40<=50, >50, NA
	Width of backrest (mm)	<=400, >400<=450, >450<=500, >500
	Backrest height from the seat level	>=350<=450, >450<=550, >550
	Backrest upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leather
ARMREST	Armrest type and arm movement	Adjustable (up and down), Adjustable (left and right), Adjustable (Up and Down, Front and Back), Adjustable (left, right, up, down, front, back), Swivel (left, right, up, down), Adjustable (left, right, up, down, front, back, swivel), Fixed, Without armrests

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Vishvash Tyagi	247667,Central Store CBRI Roorkee 247 667 Uttrakhand, INDIA	1	15

Executive Table (V2) (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure /Frame of table	Two legs with modesty panel, Four legs with modesty panel, Two legs with Gable end and modesty panel, Gable end and modesty panel, Two leg at one side and other side supported on ERU/Side storage combo with modesty Panel, Top supported by storage unit(pedestal / ERU or both)
	The type of Storage provided	One side pedestal unit, Both side pedestal unit, One side pedestal unit and E.R.U, One side E.R.U unit
	Keyboard tray	Provided, Not provided
	Footrest	Provided, Not Provided

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MATERIAL	Tabletop Material	MDF board of grade SBG II of IS 12406/Latest, Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Prelaminated MDF board, Plywood Conforming to IS 303, Teak wood, Glass
	Thickness of table top material (± 1 mm)	15 mm, 17 mm, 18 mm, 19 mm, 25 mm, 36 mm, 50 mm
	Gable end material	Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest, Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Perforated MS sheet, Plywood Conforming to IS 303, MDF and veneer with PU finish having scratch resistance of 2H, MDF board as per IS: 12406 with pigmented PU coating on both sides, MDF batons with natural veneer, NA
	The thickness of the gable end	0.9 mm (for metal sheet), 1 mm (for metal sheet), 1.2 mm (for metal sheet), 15 mm, 18 mm, 19 mm, 25 mm, 36 mm, 60 mm, NA
	Modesty panel material	Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest, Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Teak wood, Perforated MS sheet, Plywood Conforming to IS 303, Particleboard with veneer face coated with clear lacquer, Prelaminated MDF board (with all exposed edges sealed with 2mm PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200 degrees C with hot melt glue)
	The thickness of the modesty panel material	0.9 mm (for metal sheet), 1 mm (for metal sheet), 1.2 mm (for metal sheet), 15 mm, 18 mm, 19 mm, 25 mm, 36 mm, 60 mm
	Leg Material	Teak wood, Carved teak wood, Seasoned Sheesham, Mild Steel (MS) ERW, GI pipe, SS 304, SS 202, CRC square pipe with powder coated finish as per approved shade, NA
	The thickness of the Leg material	0.5 mm, 0.8 mm, 0.9 mm, 1 mm, 1.2 mm, 1.4 mm, NA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
DIMENSION	Width of tabletop ±10 mm	900 mm, 1000 mm, 1050 mm, 1100 mm, 1200 mm, 1280 mm, 1300 mm, 1350 mm, 1375 mm, 1500 mm, 1550 mm, 1650 mm, 1800 mm, 1850 mm, 1950 mm, 2000 mm, 2100 mm, 2200 mm, 2300 mm, 2400 mm, 3300 mm
	Depth of table ±10 mm	600 mm, 620 mm, 650 mm, 700 mm, 725 mm, 750 mm, 800 mm, 850 mm, 900 mm, 915 mm, 950 mm, 1050 mm, 1100 mm, 1200 mm, 1300 mm, 1350 mm, 1400 mm, 1500 mm, 1600 mm, 1650 mm
	Height of table ±10 mm	750 mm, 760 mm, 775 mm, 800 mm
	Size (L x W) /diameter of leg material ± 5 mm	25 x 25 (mm), 30 x 30 (mm), 40 x 40 (mm), 20 x 40 (mm), 25 x 40 (mm), 20 x 60 (mm), 60 x 30 (mm), 25 mm, 30 mm, 35 mm, 40 mm, 45 mm, 50 mm, 55 mm, 60 mm, NA
EXTENDED RETURN UNIT	ERU unit consists of	1 drawer, 2 drawers, 3 drawers, 4 drawers, 1 storage unit with shutter, 2 storage units with shutter, 1 storage unit without shutter, No ERU
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	One drawer, Two drawers, Three drawers, Four drawers, One storage, Two storage, No Pedestal unit
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side, Laminate in color with matt finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side, Paint, Teak laminate/ply with polish, Teak laminate/ply with melamine finish, 1 mm mica lamination, Teak Veneer/teak wood with melamine polish (walnut), 3/3.5 mm thick veneer finish a per buyer choice, Minimum 0.8 to 1 mm PVC membrane finish, NA
	Tabletop shade	Peach, Teak, Oak, Gray, Oxford cherry, Dark walnut, Frosty white, Teak Veneer/teak wood with melamine polish (walnut), Natural Shade, White, As per Buyer's choice, NA
	Table /ERU /Pedestal Panel Plain Side	All exposed edges sealed with 2 mm PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200 degrees C with hot melt glue, Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue, CP Teak Wood Lipping, NA
WARRANTY	Warranty period	1 Year, 2 Years, 3 Years, 4 Years, 5 Years
CERTIFICATION	Test reports to be furnished to the buyer on demand	Yes, No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vishvash Tyagi	247667,Central Store CBRI Roorkee 247 667 Uttrakhand, INDIA	1	45

Special terms and conditions-Version:1 effective from 25-06-2024 for category Office Chair (V3)

1.

Special Terms and Conditions

1. The colours for the Seat and Back, are specified based on the procurement done by various buyers on GeM.
2. Sellers are advised to refrain from uploading any catalogue selecting image colour other than the option chosen for the catalogue, as available in the category. Any mismanagement of this will be treated seriously as per GeM policies.
3. In case buyer requires to buy any other colour not covered in the category, same may be specified under additional parameters while creating the bid. The colours mentioned in the additional parameters by the buyer in the bid shall prevail over the colours indicated in the catalogue.
4. Sellers are advised to check the complete bid document while offering their prices.

Special terms and conditions-Version:1 effective from 18-06-2024 for category Revolving Chair (V4)

1.

Special Terms and Conditions

1. The colours for the Seat and Back, are specified based on the procurement done by various buyers on GeM.
2. Sellers are advised to refrain from uploading any catalogue selecting image colour other than the option chosen for the catalogue, as available in the category. Any mismanagement of this will be treated seriously as per GeM policies.
3. In case buyer requires to buy any other colour not covered in the category, same may be specified under additional parameters while creating the bid. The colours mentioned in the additional parameters by the buyer in the bid shall prevail over the colours indicated in the catalogue.
4. Sellers are advised to check the complete bid document while offering their prices.

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

3. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

5. **Purchase Preference (Centre)**

Purchase Preference linked with Local Content (PP-LC) Policy:

The bid clause regarding "Preference to Make In India products" stands modified in this bid and shall be governed by the PPLC Policy No. FP-20013/2/2017-FP-PNG dated 17.11.2020 issued by MoP&NG as amended up to date. Accordingly, bidders with Local Content less than or equal to 20% will be treated as "Non Local Supplier". The prescribed LC shall be applicable on the date of Bid opening. Sanctions on the bidders for false / wrong declaration or not fulfilling the Local Content requirement shall be as per the PPLC policy. Further following additional provisions are added in the certification and verification of local content provision of the Preference to Make in India clause:

- i. In case of foreign bidder, certificate from the statutory auditor or cost auditor of their own office or subsidiary in India giving the percentage of local content is also acceptable. In case office or subsidiary in India does not exist or Indian office/subsidiary is not required to appoint statutory auditor or cost auditor, certificate from practicing cost accountant or practicing chartered accountant giving the percentage of local content is also acceptable.
- ii. Along with Each Invoice: The local content certificate (issued by statutory auditor on behalf of procuring company) shall be submitted along with each invoice raised. However, the % of local content may vary with each invoice while maintaining the overall % of local content for the total work/purchase of the pro-rata local content requirement. In case, it is not satisfied cumulatively in the invoices raised up to that stage, the supplier shall indicate how the local content requirement would be met in the subsequent stages.
- iii. The bidder shall submit an undertaking from the authorized signatory of bidder having the Power of Attorney along with the bid stating the bidder meets the mandatory minimum LC requirement and such undertaking shall become a part of the contract.

6. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

7. **Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

8. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

9. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

10. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

11. **Warranty**

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

12. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Warranty Shall Start From the date Of Acceptance of The Product.
2. Vendor Must Submit Manufacturer Authorization Letter (MAF) to Participate in the Bid as per format attached.
3. Bidder must submit bid specific authorization from OEM for this particular bid. Generic authorization from OEM will be summarily Rejected.
4. The Technical specification uploaded as ATC shall prevail over GEM parameter specification in case of any ambiguity.
5. Bid-Securing Declaration (In lieu of EMD) Form must be submitted as per format attached.
6. The OEM or Bidder should not quote product manufactured by country sharing land border with India as per extant GOI policy on subject matter.
7. Order is liable to be rejected in case of failure to submit PBG within 21 days of award of contract, if applicable.

13. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum

issued by DPIIT in this regard.

2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---